


POWDER



HONEYCOMB



PUTTY



SUNGLOW



STRAW




FUDGE



BAILEYS



MOHAIR



SAGE



MEXICO



SPRUCE



CAPSICUM



JUNGLE



RIBENA




SPICE




FERRARI



CHOCOLATE




PLATINUM



MUSCAT



SLATE



HAVANA BROWN



DENIM



PUMA



CASCADE

COMMERCIAL UPHOLSTERY FABRIC

SuedeFX



Specifications:
Roll length: 40m Width: 150cm



Colour Fastness:
To Light – Xenon Arc ISO/B02 5
To Rubbing Wet.....4/5
 Dry.....5
To Washing.....5
Pill Resistance.....5
(Pilling can sometimes occur in daily usage and should not be considered a fault)



Meets Australian F.R. standards for use in commercial areas:
Tested to Australian standards (AS 1530.3)
Ignitability Index.....10
Spread of flame0
Heat Evolved Index.....3
Smoke Developed Index.....5



Cigarette Burn Test:
Passed Australian standards (AS 4088.1)
Cigarette burn test



Durability:
In laboratory conditions fabric samples are continuously rubbed under pressure until the fibre is observed to fatigue.
Austex SuedeFX is classified as suitable for domestic and commercial upholstery.
SuedeFX exceeds industry standards of 40000+ rubs.



Maintenance:
Vacuum regularly to remove dust particles. Avoid direct sunlight and clean spills immediately.
Use mild soap and water, following with clean water only. Do not saturate the fabric with water or cleaning fluids. Persistent stains may need to be treated by a professional cleaning company.



austex
INDUSTRIAL FABRICS

WORTLEY

Furnishing in Style 190

www.wortleygroup.com.au